

Supplementary Table 1 Demographic Characteristics of the Study Sample and Past Year GAD Prevalence			
	Overall % 95% CI	Prevalence of GAD in last 12 month % 95% CI	Odds Ratio (Unadjusted) 95% CI
Demographics			
Sex			
<i>Male</i>	49.3 49.3-49.3	2.0 1.6-2.3	REFERENT
<i>Female</i>	50.7 50.7-50.7	3.2 2.7-3.6	1.6 1.3-2.1
Age (Mean=45.7; CI 45.5-45.8)			
15-17	4.8 4.5-5.2	2.0 1.1-3.0	REFERENT
18-34	26.8 26.0-27.5	2.5 2.0-3.1	1.3 0.7-2.2
35-54	35.3 34.4-36.2	3.3 3.7-3.8	1.6 1.0-2.7
55-64	15.8 15.1-16.5	2.8 2.1-3.5	1.4 0.8-2.4
65+	17.2 17.2-17.2	1.2 0.8-1.6	0.6 0.3-1.1
Marital Status			
<i>Married/common law</i>	60.0 59.2-61.0	2.1 1.7-2.4	REFERENT
<i>Single</i>	27.0 26.3-27.7	3.1 2.6-3.7	1.5 1.2-2.0
<i>Widowed/separated/divorced</i>	13.0 12.3-13.6	3.8 2.9-4.7	1.9 1.4-2.6
Level of Education			
<i>Other/post sec. graduation</i>	82.2 81.4-83.0	2.5 2.2-2.9	REFERENT
<i>Education up to secondary grad</i>	17.8 17.0-18.6	2.8 2.2-3.5	1.1 0.9-1.5

Employment-last week*			
<i>Full-time</i>	56.4 55.3-57.4	1.9 1.6-2.3	REFERENT
<i>Part-time</i>	11.9 11.3-12.5	3.4 2.2-4.5	1.8 1.2-2.6
<i>Not working in past week</i>	31.7 30.8-32.7	3.7 3.2-4.3	1.9 1.5-2.5
Household Income			
<i>0-\$29,999</i>	17.0 16.2-17.8	4.5 3.7-5.3	3.2 2.3-4.5
<i>\$30,000-59,999</i>	27.5 26.5-28.4	3.3 2.7-4.0	2.3 1.7-3.3
<i>\$60,000-89,999</i>	22.0 21.0-22.9	1.8 1.4-2.2	1.3 0.9-1.9
<i>>\$90,000</i>	33.6 32.4-34.7	1.5 1.1-1.8	REFERENT
Immigrant Status			
<i>Born in Canada</i>	74.8 73.6-76.1	2.9 2.6-3.3	2.0 1.4-2.8
<i>Not born in Canada</i>	25.2 23.9--26.4	1.5 1.0-2.0	REFERENT
Urban Living			
<i>No</i>	17.5 16.0-19.0	2.5 1.9-3.1	REFERENT
<i>Yes</i>	82.5 81.0-84.0	2.6 2.3-2.9	1.0 0.8-1.4
Psychiatric Comorbidities (WHO-CIDI)			
Past 12 month depression (MDD)			
<i>No</i>	96.1 95.7-96.5	1.7 1.4-1.9	REFERENT
<i>Yes</i>	3.9 3.5-4.3	24.9 21.0-28.8	19.5 15.2-25.1
Past 12 month bipolar 1			
<i>No</i>	98.5 98.3-98.7	2.1 1.8-2.3	REFERENT
<i>Yes</i>	1.5	32.9	23.3

	1.3-1.7	25.0-40.8	16.0-33.7
Alcohol Abuse or dependence 12 month			
<i>No</i>	96.8 96.5-97.2	2.4 2.1-2.7	REFERENT
<i>Yes</i>	3.2 2.8-3.5	7.8 5.2-10.4	3.4 2.3-5.0
Cannabis abuse or dependence - 12 m			
<i>No</i>	98.7 98.5-98.9	2.5	REFERENT
<i>Yes</i>	1.3 1.1-1.5	9.5 5.1-13.8	4.1 2.4-7.0
Drug abuse or dependence (excluding cannabis) - 12 m			
<i>No</i>	99.3 99.2-99.5	2.4 2.2-2.7	REFERENT
<i>Yes</i>	0.7 0.5-0.8	17.3 9.3-25.4	8.4 4.7-15.1

Supplementary Table 2 All-Inclusive Logistic Regression Model			
GAD (past 12 months)	Odds Ratio	95% CI	P-value
Sex			
<i>Male</i>	REFERENT		
<i>Female</i>	1.5	1.1-2.0	0.004
Age (continuous)	1.2	1.1-1.2	<0.001
Age squared	1.0*	1.0	<0.001
Marital Status			
<i>Married/common law</i>	REFERENT		
<i>Single</i>	1.1	0.7-1.5	0.776
<i>Widowed/separated/divorced</i>	1.2	0.8-1.9	0.436
Level of Education			
<i>Other/post sec. graduation</i>	REFERENT		
<i>Education up to secondary grad</i>	0.9	0.6-1.2	0.375
Employment-last week**			
<i>Full-time</i>	REFERENT		
<i>Part-time</i>	1.6	1.1-2.4	0.024
<i>Not working in past week</i>	1.9	1.3-2.7	<0.001
Household Income			
<i>0-\$29,999</i>	1.6	1.0-2.6	0.040
<i>\$30,000-59,999</i>	2.1	1.4-3.2	0.001
<i>\$60,000-89,999</i>	1.0	0.7-1.6	0.944
<i>>\$90,000</i>	REFERENT		
Immigrant Status			
<i>Born in Canada</i>	1.7	1.1-2.6	0.017
<i>Not born in Canada</i>	REFERENT		
Urban Living			
<i>No</i>	REFERENT		
<i>Yes</i>	0.9	0.7-1.3	0.580
Past 12 month depression (MDD)			
<i>No</i>	REFERENT		
<i>Yes</i>	20.1	14.7-27.4	<0.001
Past 12 month bipolar 1/2			
<i>No</i>	REFERENT		
<i>Yes</i>	28.2	18.4-43.2	<0.001

	Odds Ratio	95% CI	P-value
Alcohol Abuse or dependence 12 month			
<i>No</i>	REFERENT		
<i>Yes</i>	1.9	1.1-3.0	0.013
Cannabis abuse or dependence - 12 m			
<i>No</i>	REFERENT		
<i>Yes</i>	1.9	1.0-3.7	0.056
Drug abuse or dependence (excluding cannabis) - 12 m			
<i>No</i>	REFERENT		
<i>Yes</i>	1.1	0.3-4.9	0.877

* Age is represented as a continuous variable, resulting in an age squared term that is significant, yet rounds to zero.

**Restricted to respondents 75 years old or younger

Reduced Final Model

GAD (past 12 months)	Odds Ratio	95% CI	P-value
Sex			
<i>Male</i>	REFERENT		
<i>Female</i>	1.4	1.1-1.8	0.011
Age (continuous)	1.1	1.1-1.2	<0.001
Age squared	1.0	1.0	<0.001
Employment-last week*			
<i>Full-time</i>	REFERENT		
<i>Part-time</i>	1.5	1.0-2.2	0.063
<i>Not working in past week</i>	1.8	1.3-2.4	<0.001
Household Income			
<i>0-\$29,999</i>	1.8	1.2-2.6	0.003
<i>\$30,000-59,999</i>	1.9	1.3-2.8	0.001
<i>\$60,000-89,999</i>	1.1	0.7-1.7	0.614
<i>>\$90,000</i>	REFERENT		
Immigrant Status			
<i>Born in Canada</i>	1.8	1.3-2.7	0.002
<i>Not born in Canada</i>	REFERENT		
Past 12 month depression (MDD)			
<i>No</i>	REFERENT		
<i>Yes</i>	19.7	14.7-26.3	<0.001
Past 12 month bipolar 1/2			
<i>No</i>	REFERENT		
<i>Yes</i>	31.1	20.8-46.4	<0.001
Alcohol Abuse or dependence 12 month			
<i>No</i>	REFERENT		
<i>Yes</i>	1.8	1.1-2.8	0.013

*Restricted to respondents 75 years old or younger